

Pro Series Monochrome Document Systems







"Most Reliable Monochrome Copier MFP Brand 2018-2021" The Sharp Pro Series monochrome document systems feature world class productivity and impressive quality.

Brilliant Award-Winning Reliability – Resourceful Flexibility

efficiency

From scan-centric environments to in-plant copy rooms, the Sharp monochrome Pro Series MXM1056 and MXM1206 deliver advanced features that can help streamline your workflow like never before. These models are built on proven technology with award-winning reliability to handle the rigorous demands of high-volume environments. The latest EFITM Fiery[®] platform allows for ultimate efficiency and operation, while providing unparalleled results.

Key Features

- Ease-of-Use Award-winning touchscreen display offers a user-friendly graphical interface with simplified Easy Modes, intuitive job management and quick access to network services.
- Available GBC[®] SmartPunch™ Plus Fully automated in-line punching system that dramatically streamlines workflow from printing to punching, perforating or creasing in one easy step.
- Powerful Fiery Print Server Optional print server for advanced workflows and high-productivity. Command WorkStation[®] is fully integrated with the Sharp touchscreen for unmatched control and ease-of-use.

That's the Sharp Difference.



Precision Engineered For High-Productivity



15.4" (diagonally measured) colour touchscreen with integrated keyboard and touchpad


Triple air-feed paper handling option

Available Fiery® Print Server



Designed and built for print-on-demand environments with world class features that exceed expectations.

- 300-sheet Duplexing Single Pass Feeder (DSPF) scans documents at up-to 240 images per minute.
- Scan Preview feature offers on-the-fly page editing with easy fingertip navigation.
- Triple air-feed paper handling option offers high-reliability and is virtually maintenance-free.
- Print Engine Paper Catalogue stores up-to 1,000 media profiles for optimal print quality.



15.4" (diagonally measured) display with fully-integrated Fiery Command WorkStation®.


- Adobe Embedded Print Engine technology, which direct prints PDF files from a variety of sources with greater performance and rendering accuracy.
- High-performance print controller with included PCL[®]6 and Adobe PostScript 3.
- Up-to 13,500-sheet paper capacity supports media up-to 110 lb. cover stock (300 gsm).
- True 1,200 x 1,200 dpi printing provides beautiful images and enhanced clarity for fine details such as small text and graphics.
- Easily access popular cloud applications, including Microsoft[®] OneDrive[®] for Business, SharePoint[®] Online, Box and Google Drive[™], with the Sharp Cloud Connect feature.
- Standard Job Management features make it easy to print on-demand as well as view jobs, retain jobs, combine jobs, select print settings and more.
- Easily convert documents to popular Microsoft® file formats, as well as a variety of PDF formats, with standard OCR (Optical Character Recognition) capabilities.
- Leading-edge, multi-layered security features include Firmware Attack
 Prevention and Self Recovery, Application Whitelisting, and the convenient
 Sharp End-of-Lease feature, which erases all data from the device at time
 of trade-in.



Advanced Capabilities Help Ensure Optimum Results



High-capacity 300-sheet DSPF with 150-business card feeder for increased efficiency and scanning capabilities.



Triple air-feed LCT paper trays maximize reliability and minimize downtime. Pneumatic sensors maintain consistent air flow.



Convenient touchscreen delivers an enhanced user experience.

*Some features require optional equipment.

Precise document handling with best-in-class features.

Sharp Understands the Importance of Productivity

A high-capacity 300-sheet Duplexing Single Pass Feeder (DSPF) which scans documents at up-to 240 images per minute is standard. This dual head feeder scans both sides of a document in a single pass, which helps maximize both efficiency and reliability. And for added convenience, it also includes a business card feeder for scanning a stack of up-to 150 individual cards.

Distribute, Access and Print Your Documents with Ease

Sharp makes it easy to go beyond traditional network scanning with standard Email Connect and Cloud Connect features. With Email Connect, scan to email is seamlessly integrated with Microsoft Exchange/Office $365^{\tiny{(B)}}$ and GmailTM user accounts, making it easy to identify the sender of scanned files. With Cloud Connect, users can easily scan to and print from Microsoft OneDrive for Business, SharePoint Online, Google Drive, Box and Dropbox. For touchless operation, documents can be printed, copied and scanned with SynappxTM Go on your personal device.*

Production Class Paper Handling with Air-feed Technology

The Pro Series monochrome document systems offer up-to 13,500-sheet paper capacity and support media types up-to 110 lb. cover (300 gsm). The Sharp 5,000-sheet large capacity paper feed option uses air-feed technology, which maximizes reliability and minimizes downtime.

Advanced In-line Production Punch, Crease and Perforation

Fully automated multifunctional GBC[®] SmartPunch™ Plus, in-line professional finishing solution provides greater productivity and flexibility. With the new double punch, crease and perforation dies, customers can expand their finishing capabilities like never before. The SmartPunch Plus operation panel decreases operator time and provides increased control and convenience, saving valuable time and money.



Creasing capability for precise folding



Adjustable perforation



Double Punch processing for two-up sheets



Improved Productivity

Offering the highest performance-boosting power in its class, so you can get more work done, faster. Based on the latest Fiery FS400 Pro system software, the MXPE16 Fiery Print Server delivers performance-boosting features that shorten turnaround times and produce fully-finished jobs that stand out and help differentiate your business.

Intuitive Centralized Print Job Management

The MXPE16 Fiery Server utilizes Fiery Command WorkStation® as a centralized solution for print job management. The intuitive interface enables operators to monitor, prepare and troubleshoot jobs for production from multiple client computers or locally from the Sharp Pro Series touchscreen display.



Shorten turnground times

Expand your print offerings

Differentiate with variable data printing

The MXM1206 shown with Fiery Command WorkStation fully integrated at the control panel. In addition, the MXPE16 Fiery Server includes a touchpad for precise menu navigation.





Highly Versatile Powerhouse

The MXM1056 and MXM1206 Pro Series monochrome document systems offer a choice of two high-powered print servers to meet the demands of Central Reprographic Departments (CRD) and in-plants at speeds up-to 105 ppm and 120 ppm, respectively.

High-Quality Professional Output

Produce compelling black and white documents with crisp razor-sharp graphics. True 1,200 x 1,200 dpi resolution helps ensure all your documents will look great every time.

Versatile Finishing Options

Two powerful finishing systems are available - a 4,000-sheet stacking finisher with 100-sheet stapling capacity or a 4,000-sheet saddle-stitch finisher, which can produce up-to 80-page professional booklets when used with the available face trimmer unit.

Multi-Folding Unit

Provides a variety of folds, including Z-fold, C-fold, Accordion-fold, Double-fold and Half-fold.





Plockmatic Production Booklet Maker System

Produces 120-page professional, square-fold spine booklets in-line at engine speed.

Multi-layered Security Features

Leading-edge security features provide enhanced protection of data and personal information and helps protect against network intrusions.

Production punching system produces up-to ten commonly used punch styles for creating professional bound booklets, and increased flexibility with available creasing and perforation dies.

GBC® SmartPunch™ Plus







Breakthrough Performance And Operation

versatility



Optional MXPE16 Fiery[®] Print Server

Based on the latest Fiery FS400 Pro system software platform, the Fiery Server delivers performanceboosting features that shorten turnaround times.

Post Sheet Inserter

Produce professional looking documents with pre-printed covers and chapter inserts with the available post sheet inserter.

Business Card Scanning

OCR scans up-to 150 business cards with the DSPF and ability to export them to a contact management system.

Integrated Network Scanning Sharp's ImageSEND™ feature provides operations document

provides one-touch document distribution. Scans to multiple destinations, including Email, FTP, Network Folder (SMB and Home Directory) and USB.

Duplexing Single Pass Feeder (DSPF) Standard 300-sheet

Standard 300-sheet dual head document feeder scans both sides of a document in a single pass.

15.4" Touchscreen (diagonally measured)

A large, high-resolution touchscreen with tablet-style navigation makes it easy to access features. You can also add shortcut keys to popular features, change the key layout or add a custom background theme.

500-sheet Multi-bypass Tray

Feeds paper sizes from 5.5" x 8.5" to 12" x 18".



Independent Motors

Insulated independent motors run quieter and provide higher reliability.



3,000-Sheet Standard Paper Capacity

Includes 2,000-sheet letter size tandem tray and two 500-sheet letter/legal/ledger size trays. Add optional paper handling accessories for a maximum on-line paper capacity of 13,500 sheets.

Convenient Job Management

1 TB hard disk drive provides on-board document storage. An intuitive thumbnail view makes it easy to select, edit, reprint, repaginate and more.

Handling

The Sharp advanced 5,000-sheet large capacity paper tray option utilizes triple air-feed technology, which directs air flow with precision accuracy for proper paper handling and enhanced media support up-to 300 gsm. Two large capacity trays can be connected in tandem (as shown).

A highly-rigid Frame Design

Ensures reliability and durability to withstand heavy use from highspeed and high-volume output.

Configurations To Suit Virtually Any Environment

MXM1206 shown with 3,500-sheet large capacity cassette, 100-sheet staple/saddle finisher and 100-sheet bypass tray.

stomiz

Versatile and Customizable To Fit Your Needs

The MXM1056/M1206 Pro Series monochrome document systems offer flexible paper handling and finishing options to accommodate any size in-plant or on-demand workflow environment.



MXM1206 shown with curl correction unit, inserter, multi-folding unit, GBC® SmartPunch™ Plus, 100-sheet staple/saddle stitch finisher, dual 5,000-sheet large capacity trays, 500-sheet multi-bypass tray and status indicator.

Modular Options Make It Easy To Build the System of Your Choice

Options for the MXM1056/M1206 enable businesses to choose from several high-performance finishing systems that offer up-to 100-sheet stapling, professional saddle-stitch booklet making and three-hole punching. More advanced configurations include a square-fold spine Booklet Making System, a professional punching/creasing/perforating system, a two-tray inserter, a multi-folding unit and





Plockmatic 120-page Production Booklet Maker System

Unit Trimmer Unit

100-sheet Staple/

500-sheet Multi-bypass Tray



100-sheet Saddle-Stitch Finisher Staple Stacking Finisher



GBC SmartPunch™ Plus



5,000-sheet Air-Feed LCT

*Some options are not available in all configurations.

Get More Out Of Network Resources





Streamline your document workflow and enhance productivity with Sharp OSA technology.

Integrating with Network Applications and Cloud Services Has Never Been So Easy

The MXM1056/M1206 Pro Series monochrome document systems deliver powerful document workflow capabilities to help businesses leverage their network infrastructure, cloud-enabled services and more.* The Sharp OSA development platform allows businesses to harness the power of their network applications, back-end systems, even cloud-enabled services, right from the touchscreen panel of the device.

Save Time, Increase Efficiency

Any MXM1056/M1206 anywhere in the organization can display choices that were once only available on a desktop PC. With one-touch access to business applications via Sharp OSA integration, you can start and finish a distribution task without worry.

Customized Integration

Sharp OSA technology also provides powerful customization. With the ability to personalize applications and processes specific to your business, Sharp OSA technology can help eliminate redundancy and streamline workflow. And since Sharp OSA technology utilizes industry-standard programming languages and web APIs, third party software developers can deliver customized solutions to your business faster than ever.

Advanced Device Management Tools Maximize Efficiency



Sharp Remote Device Manager



Enhance operational efficiency through versatile device management with the MXM1056/M1206.

Sharp Remote Device Manager

With Sharp Remote Device Manager (SRDM), administrators can take control of system features and simplify installation and management. SRDM makes it easy to view service logs, click counts, history reports and more. The security dashboard monitors settings and can automatically reset the security policy if changed at the machine. Also, Admin Password Management and Centralized Power Management make it easy to deploy changes. Sharp also offers both built-in and additional auditing hardware and software to control, access and track usage.*

Take Charge of Usage and Costs

Through the Sharp Embedded Web Page, administrators and supervisors can define User Groups on the MXM1056/M1206 to manage and restrict features such as copying, printing, and scanning. Custom user groups can be easily created to manage page counts.



^{*}Some features require optional equipment.

^{*}Some features require optional equipment.

Safeguard Your Intellectual Property



Privacy

Authorization

Confidentiality

Innovative protection helps ensure confidentiality.

To help protect employees' privacy and intellectual property, the MXM1056/M1206 are armed with leading-edge, multi-layered security features, including Firmware Attack Prevention and Self Recovery, which can help identify a malicious intrusion and restore the machine firmware to its original state. The Application Whitelisting feature detects access attempts to the machine file system and denies access if the source data is not on the whitelist.

Administrators can also apply Active Directory[®] Group Policy to the device, which offers centralized configuration and control. These models also support Active Directory user authentication and secure Single Sign-on. Integrated ID card authentication is also available as an option. At trade-in time, a convenient End-of-Lease feature can erase all data and personal information, as well as print a confirmation report.

Data Encryption and Overwrite

To help protect your data, the MXM1056/M1206 models can encrypt document data using AES (Advanced Encryption Standard) 256-bit encryption and overwrite data up-to ten times.

Control Device Access Over the Network

To help restrict access to the device over the network, the MXM1056/M1206 offers IPsec, SMB and extended support for TLS Encryption (Transport Layer Security), IP/MAC address filtering, IEEE 802.1x authentication, protocol enable/disable and port management for maximum security.

Data Security Kit (Optional)

The Sharp Data Security Kit offers features, such as Data Overwrite on-demand, Document Filing access control, Incorrect Password Lockout and Restricted Status Display and Restricted List printing.

These scalable security offerings aim to protect your intellectual property, preserve confidential information and help your business meet regulatory requirements such as the Personal Information Protection and Electronic Documents Act (PIPEDA).



Committed To Helping Protect The Environment



Advanced Energy Saving Features

Utilizes several energy efficient technologies to minimize power consumption and maximize energy savings.

- An LED exposure lamp reduces power significantly.
- Define when power will be turned on and turned off with customizable seven-day power management scheduler.
- The Sharp Auto Power Management function allows the MFP to be set to shut off automatically based on usage trends.
- The Sharp Eco-Scan mode can shut off the fuser when scanning, previewing images and other operations.



Convenient toner access with ability to change while printing.

Sharp environmental initiatives and dedication set a high-standard for the industry.

An Environmentally Responsible Approach to Product Design

Sharp is committed to environmental sustainability and corporate responsibility including planning, design, manufacturing, distribution and product end-of-life management. The MXM1056 and MXM1206 models adhere to the Sharp Green Products Guidelines in pursuit of these commitments. These guidelines include designing products that consume less power, using recycled materials, reducing the amount of material used in products and packaging, and labeling the type of materials used.

The MXM1056/M1206 document systems are ENERGY STAR $^{\circledR}$ qualified and RoHS compliant to restrict the use of hazardous substances. These products also have low TEC values.

Toner Recycling Program

As part of our commitment to help preserve the environment, Sharp offers zero-waste-to-landfill recycling for Sharp consumables at no cost to our customers. This program includes cartridges, bottles, toner collection containers and drum units. Sharp encourages customers to recycle their used Sharp toner cartridges in bulk by providing them with a pre-paid recycling kit for their return to our facility. Please visit https://sharp.ca/en/toner-recycling to learn more.

Environmental Leadership

As a testament to our commitment to the environment, Sharp is a multi-year winner of the ENERGY STAR annual Excellence in Energy Proficiency Product Design.

For more information about Sharp's environmental leadership including information about energy efficient products, electronics or toner cartridge recycling, please visit https://sharp.ca/en/environmental-policy to learn more.


MXM1056/MXM1206 Specifications

Main Specifications		
MXM1056/	Base models include: 300-sheet DSPF, 2,000-	
MXM1206	sheet tandem paper drawer, (2) 500-sheet	
	paper drawers, 100-sheet bypass tray, 1 TB	
	hard disk drive, PCL® 6 and Adobe PostScript 3	
	network printing, network scanning, tilting swing out keyboard, application communication	
	and external accounting modules.	
Туре	Monochrome multi-function digital	
• •	document system	
Display	15.4" (diagonally measured) colour dot matrix	
	high-resolution touch panel tilting display.	
Functions	1,280 x 800 dots (WXGA) Copy, print, network print, network scan and	
runchons	document filing 1	
Copy System	Dry electrostatic transfer/Dual component	
	developer/Magnetic brush development/OPC/	
	white LED exposure/heat roller fusing	
Originals	Sheets and bound documents	
Max. Original Size	11" x 17"	
Copy Size	Minimum: 5.5" x 8.5", Maximum: 12" x 18"	
Copy Speed	105/120 ppm (8.5" x 11")	
Multiple Copy	Maximum 9,999 copies	
First Copy	Platen Glass: 3.2 seconds,	
Time ²	DSPF: 5.5 seconds	
Warm-up Time ²	213 seconds from main power switch on,	
Magnification	200 seconds from [Power] button on 25% to 400% in 1% increments	
ag.ilouiloli	(with document feeder 25%-200%)	
Original Feed	300-sheet/150-business card DSPF	
Scan Speed	Up-to 240 ipm (monochrome or colour)	
Original Sizes	Up-to 240 ipm (monochrome or colour) 5.5" x 8.5", 8.5" x 11", 8.5" x 11" R, 8.5" x 14",	
D	11" x 17"	
Paper	Standard: 3,000 sheets,	
Capacity Paper Feed	Maximum: 13,500 sheets Standard: Tandem Tray 1 - 1,200 sheets (letter	
System	size), Tandem Tray 2 - 800 sheets (letter size),	
-,	Trave 3/1 - 500 sheets on (letter/legal/ledger/	
	statement/12" x 18"). Optional: Multi-bypass	
	statement/12" x 18"). Optional: Multi-bypass Tray (for machine) -100 sheets (letter/legal/	
	leager/statement/12" x 18"), Multi-bypass	
	(for LCT) - 500 sheets (letter/legal/ledger/ statement/12" x 18"), LCT (2-Drawer) - 2,500-	
	sheets each drawer (letter/legal/ledger/	
	12" x 18"), Letter LCC - 3,500 sheets (letter).	
Paper Weights	Tandem Trays - 16-28 lb. bond, Trays 3/4 -	
and Types	16 lb. bond to 80 lb. cover, Multi-bypass Tray	
	(for machine) - 15 lb. bond to 110 lb. cover,	
	Multi-bypass Tray (for LCT) - 13 lb. bond to 80 lb. cover, LCT (2-drawer) - 15 lb. bond to 110 lb.	
	cover, Letter LCC - 16 lb. bond to 80 lb. cover.	
	Supported paper types include: thin, plain,	
	recycled, colour, letterhead, pre-printed and	
	pre-punched and glossy.	
Duplexing	Standard automatic duplex copying	
CPU	and printing	
Interface	Up-to 1.4 GHz Multiprocessor Controller RJ-45 Ethernet (10/100/1,000 Base-1),	
illellace	USB 2.0 (2 host ports, front and rear),	
	USB 2.0 (1 device port)	
Memory	Standard 6 GB	
Hard Disk	1 TD	
Drive	1 TB Scan: Un-to 600 v 600 dni:	
Copy Resolution	Scan: Up-to 600 x 600 dpi; Output: Up-to 1,200 x 1,200 dpi	
Copy Modes	Monochrome/Greyscale	
Exposure	Modes: Text, Text/Printed-Photo, Printed-Photo,	
Control	Text Photo, Photo, Map, Pale-Colour. Settings:	
H-144	Auto or 9 step manual	
Halftone	256 gradations/2 levels (monochrome)	
Copy Features	Auto Magnification Selection (AMS), image preview/edit, auto tray, paper type selection	
. Jaiaiss	switching, rotate copy, reserve copy, tandem	
	copy, book copy, margin shift, edge/centre	
	erase, book divide, dual page, cover/insert	
	page, OHP insert, job build, card shot, blank	
	page skip, mirror/B/W reverse, proof, pamphlet, watermark, custom image, job programs.	
Account	Up-to 1,000 users. Supports user-number	
Control	authentication via local, LDAP and	
	Active Directory for copy, print, scan and	
	document management.	
Firmware	Flash ROM with local (USB), network update	
Management	capability and firmware update 1 to N with	
Device Setup	SRDM (Sharp Remote Device Manager) Web-based management with user/	
Sevice selup	administrator level login	
Service/	Remote front panel, remote access to service	
Functions	logs and click counts	
Accessibility	Free stop tilting front panel, adjustment of	
Features	key touch sound and speed, concave key,	
	document feeder free stop, job programs,	

	tions (continued)
Accessibility Features	remote front panel, universal grip for paper trays, and disable screen timeout
Environmental	International Energy Star Program Ver. 3.0,
Standards	European RoHS
Power Source Power	208-240V AC, 60 Hz, 20 A Receptacle
Consumption	Maximum: 3.55 kW or less
Weight Dimensions	Approx. 611 lbs. Approx. 45" (w) x 30.5" (d) x 60.25" (h)
Difficiations	Approx. 45 (w) x 30.5 (d) x 60.25 (1)
Network Printin	g System (Standard)
PDL Resolution	Standard PCL 6, Adobe PostScript 3 1,200 x 1,200 dpi
Print Speed	105/120 pages per minute (8.5" x 11")
Print Drivers	Windows 8.1, Windows 10, Windows Server® 2012
	Windows Server 2016, Windows Server 2019, Windows PPD, Mac® OS X®/macOS® (including
	10.9 to 11), all Mac PPD, Linux® PPD
Features	Auto configuration, continuous printing,
	electronic sorting, N-up printing, duplex printing transparency inserts, margin shift, image
	rotation, different cover page, poster print, job
	bypass print, job retention, confidential print,
	proof print, user authentication, image stamp and watermarks. Additional features: Multiple
	pamphlet print, network tandem print, carbon
	copy print mode, different cover page/last page/other page, form overlay, tab paper
	settings, tab printing, chapter inserts and
	page Interleave 1
Direct Printing	File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript,
	DOCX, XLSX, PPTX, and PNG. Methods: FTP,
	SMB, Web page, Email and USB memory.
	Adobe Embedded Print Engine support for PDF file formats.
Resident Fonts	80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1,000 Base-T, USB 2.0
	RJ-45 Ethernet 10/100/1,000 Base-T, USB 2.0 Windows 8.1, Windows 10, Windows Server
Operating Systems and	2012, Windows Server 2016, Windows Server
Environments	2012, Windows Server 2016, Windows Server 2019, Chrome®, Mac OS X/macOS 10.9-11,
Network	Unix®, Linux, Citrix®, SAP device types TCP/IP (IPv4, IPv6, IPsec), HTTP/HTTPS, IPP/IPP-
Protocols	SSL, FTP/TFPS, SNMPv3, SMTP/SMTP-SSL, POP3/
	POP3-SSL, LDAP/LDAP-SSL, 802.1x for Windows
Printing	and Unix LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3
Protocols	and HTTP
Network and Data Security	Includes IP/MAC address filtering, protocol filtering, port control, user authentication
Daid occurry	(local/LDAP/Active Directory), TLS Encryption,
	Kerberos support, data encryption, End-of-Lease
	data overwrite (up-to 10x), DoD 5220.22-M
	ing System (Standard)
Scan Modes Max.	Standard: Colour, monochrome, greyscale
Original Size	11" x 17"
Optical Resolution	600 dpi
Output Modes	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dr
Image	Monochrome: TIFF, PDF, PDF/A-1b, PDF/A-1a,
Formats 1	Encrypted PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Colour/Greyscale: TIFF, JPEG,
	PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF,
	Compact PDF, Searchable PDF, XPS, PPTX, XLXS
Image	DOCX, TXT, RTF. Monochrome Scanning: Uncompressed,
Compression	G3 (MH), G4 (MR/MMŘ)
Scan	Colour/Greyscale: JPEG (high, middle, low)
Destinations	Email, Desktop, FTP, Folder (SMB), USB
One-touch	
Destinations Group	Up-to 2,000 (combined scan destinations)
Destinations	Up-to 500
Programs May John	48 (combined)
Max. Jobs Network	Up-fo 100 TCP/IP and TLS (includes: HTTP, SMTP, LDAP,
Protocols	FTP, POP3), SMB, ESMTP and 802.1x
Sharp OSA Platform	Application Communication Module (MXAMX2L) and External Accounting Module
ridilollil	(MXAMX3L) standard
MXPE16 Fiery S	onvor
Server	Type External Server
System	
Software CPU Type	Fiery FS400 Pro Intel® Pentium® Processor G5400
CPU Speed	3.7 GHz
Memory Hard Disk Drive	8 GB RAM
i idid bisk biive	000 OB

	MXPE16 Fiery Server (continued)		
Operating	Windows® Embedded 10 Pro		
System Network	Willdows Ellibedded 10 Plo		
Connectivity	RJ-45 10/100/1000 Base-T		
Power Source	100-240V AC, 50/60 Hz, 3A		
Power	Typical: 75W,		
Consumption	Maximum: 180W		
Weight	Approx. 15 lbs.		
Dimensions	Approx. 20" (w) x 13.5" (d) x 14" (h)		
41/ 100 01 1 01 1 /5: 11 /44//5101 1: 5			
4K 100-Sheet Stapler/Finisher (MXFN21: option)			
Туре	4,000-sheet console stapler finisher (100-sheet stapling)		
Output Trays	Upper tray: Moving offset tray (up-to 1,500 letter		
	size sheets) Middle tray: 250 sheets (letter size,		
	non-stapled) Lower tray: Moving offset tray (up-		
	to 2,500 letter size sheets)		
Stapling			
Capacity	Up-to 100 sheets (letter/statement)		
Stapling Medic	Plain paper, letter/legal/ledger size or mixed		
Positions	1 front, 1 rear, or 2 point stitching		
	Optional three-hole punch unit MXPN13B		
Power Source	120V AC, 60 HZ, 15 Amps		
Power			
Consumption	200W/350W with MXFD10		
Weight	Approx.: 134.5 lbs.		
Dimensions	Approx.: 35.25" (w) x 30" (d) x 41" (h)		
	(with tray extended)		
4K 100-Sheet S	tapler/Saddle-Stitch Finisher (MXFN22: option)		
Туре	4,000-sheet console stapler finisher		
	(100-sheet stapling)		
Output Trays	Upper tray: Moving offset tray (up-to 1,500 letter		
	size sheets) Middle tray: 250 sheets (letter size, non-stapled) Lower tray: Moving offset tray		
	(up-to 2,500 letter size sheets)		
Stapling	(45 10 2/000 101101 0120 0110010)		
Capacity	Up-to 100 sheets (letter/statement)		
	Plain paper, letter/legal/ledger size or mixed		
Stapling			
Positions	1 front, 1 rear, or 2 point stitching		
Saddle-Stitch	Centre stitch/centre fold (2 staples) letter/ legal/ledger paper sizes; up-to 5 sets (16-20		
Waxiii aiii oeis	sheets per set)/10 sets (11-15 sheets per set)/		
	15 sets (6-10 sheets per set)/25 sets		
	(1-5 sheet(s) per set)		
Hole Punching			
Power Source Power	120V AC, 60 HZ, 15 Amps		
Consumption	200W/350W with MXFD10		
Weight	Approx. 134.5 lbs.		
Dimensions	Approx. 134.5 lbs. Approx. 35.25" (w) x 30" (d) x 41"; (h)		
	(with tray extended)		
Optional Equip	ment		
MXCF11	2-tray Post Sheet Inserter Unit		
MXFD10	Multi-folding Unit		
MXLC12	3,500-sheet Large Capacity Cassette (letter)		
MXLC13N	5,000-sheet Large Capacity 2-Drawer Air-Feed		
MXMFX1	Tray (ledger) ¹ 100-sheet Multi-bypass Tray (for machine)		
MXMF11	500-sheet Multi-bypass Tray (for MXLC13N)		
MXFN21	4K Stacking 100-Sheet Staple Finisher		
MXFN22	4K Stacking 100-Sheet Staple/Saddle-Stitch		
MVDD12	Finisher ¹		
MXRB13 MXRB16	Relay Unit		
MXRB17	Large Capacity Tray Mounting Kit		
	Large Capacity Tray Tandem Connection Kit		
MXRB18	Large Capacity Tray Tandem Connection Kit Curl Correction Unit		
MXRB18 MXTM10	Curl Correction Unit ¹ Trimmer Unit ¹		
MXRB18 MXTM10 MXPN13B	Curl Correction Unit ¹ Trimmer Unit ¹ 3-Hole Punch Unit (for MXFN21/FN22)		
MXRB18 MXTM10 MXPN13B MXSCX1	Curi Correction Unit ¹ Trimmer Unit ¹ 3-Hole Punch Unit (for MXFN21/FN22) Staple Cartridge (for MXFN22)		
MXRB18 MXTM10 MXPN13B MXSCX1 MXSCX2	Curl Correction Unit ¹ Trimmer Unit ¹ 3-Hole Punch Unit (for MXFN21/FN22) Staple Cartridge (for MXFN22) Staple Cartridge (for MXFN21/FN22)		
MXRB18 MXTM10 MXPN13B MXSCX1 MXSCX2 MXSL10N	Curl Correction Unit ¹ Trimmer Unit ¹ 3-Hole Punch Unit (for MXFN21/FN22) Staple Cartridge (for MXFN22) Staple Cartridge (for MXFN21/FN22) Status Indicator		
MXRB18 MXTM10 MXPN13B MXSCX1 MXSCX2	Curl Correction Unit ¹ Trimmer Unit ¹ 3-Hole Punch Unit (for MXFN21/FN22) Staple Cartridge (for MXFN22) Staple Cartridge (for MXFN21/FN22) Status Indicator Stamp Unit (requires ARSV1 Stamp Cartridge) Stamp Cartridge (required for ARSU1)		
MXRB18 MXTM10 MXPN13B MXSCX1 MXSCX2 MXSL10N ARSU1 ARSU1 MXPF10	Curl Correction Unit ¹ Trimmer Unit ¹ 3-Hole Punch Unit (for MXFN21/FN22) Staple Cartridge (for MXFN22) Staple Cartridge (for MXFN21/FN22) Status Indicator Stamp Unit (requires ARSV1 Stamp Cartridge) Stamp Cartridge (required for ARSU1) Bar Code Font Kif		
MXRB18 MXTM10 MXPN13B MXSCX1 MXSCX2 MXSL10N ARSU1 ARSU1 ARSV1 MXPF10 MXPF10	Curl Correction Unit ¹ Trimmer Unit ¹ 3-Hole Punch Unit (for MXFN21/FN22) Staple Cartridge (for MXFN21) Staple Cartridge (for MXFN21/FN22) Status Indicator Stamp Unit (requires ARSV1 Stamp Cartridge) Stamp Cartridge (required for ARSV1) Bar Code Font Kit Fiery Print Server		
MXRB18 MXTM10 MXPN13B MXSCX1 MXSCX2 MXSL10N ARSU1 ARSU1 ARSV1 MXPF10 MXPE16 MXPX16	Curl Correction Unit¹ Trimmer Unit¹ 3-Hole Punch Unit (for MXFN21/FN22) Staple Cartridge (for MXFN22) Staple Cartridge (for MXFN21/FN22) Status Indicator Stamp Unit (requires ARSV1 Stamp Cartridge) Stamp Cartridge (required for ARSV1) Bar Code Font Kit Fiery Print Server Fiery Interface Kit		
MXRB18 MXTM10 MXPN13B MXSCX1 MXSCX2 MXSL10N ARSU1 ARSU1 ARSV1 MXPF10 MXPF10	Curl Correction Unit ¹ Trimmer Unit ¹ 3-Hole Punch Unit (for MXFN21/FN22) Staple Cartridge (for MXFN21) Staple Cartridge (for MXFN21/FN22) Status Indicator Stamp Unit (requires ARSV1 Stamp Cartridge) Stamp Cartridge (required for ARSV1) Bar Code Font Kit Fiery Print Server		
MXRB18 MXTM10 MXPN13B MXSCX1 MXSCX2 MXSL10N ARSU1 ARSU1 ARSV1 MXPF10 MXPE16 MXPX16	Curl Correction Unit¹ Trimmer Unit¹ 3-Hole Punch Unit (for MXFN21/FN22) Staple Cartridge (for MXFN21/FN22) Staple Cartridge (for MXFN21/FN22) Status Indicator Stamp Unit (requires ARSV1 Stamp Cartridge) Stamp Cartridge (required for ARSV1) Bar Code Font Kit Fiery Print Server Fiery Interface Kit Data Security Kit		
MXRB18 MXTM10 MXPN13B MXSCX1 MXSCX2 MXSL10N ARSU1 ARSV1 MXPF10 MXPF10 MXPF16 MXPX16 MXPK66U Supplies MX900NT	Curl Correction Unit¹ Trimmer Unit¹ 3-Hole Punch Unit (for MXFN21/FN22) Staple Cartridge (for MXFN21/FN22) Staple Cartridge (for MXFN21/FN22) Status Indicator Stamp Unit (requires ARSV1 Stamp Cartridge) Stamp Cartridge (required for ARSU1) Bar Code Font Kit Fiery Print Server Fiery Interface Kit Data Security Kit		
MXRB18 MXTM10 MXPN13B MXSCX1 MXSCX2 MXSL10N ARSU1 ARSV1 MXPF10 MXPF16 MXPR16 MXFR66U Supplies MX900NT MX900NV	Curl Correction Unit¹ Trimmer Unit¹ 3-Hole Punch Unit (for MXFN21/FN22) Staple Cartridge (for MXFN21/FN22) Staple Cartridge (for MXFN21/FN22) Status Indicator Stamp Unit (requires ARSV1 Stamp Cartridge) Stamp Cartridge (required for ARSV1) Bar Code Font Kit Fiery Print Server Fiery Interface Kit Data Security Kit Toner Cartridge Developer		
MXRB18 MXTM10 MXPN13B MXSCX1 MXSCX2 MXSL10N ARSU1 ARSV1 MXPF10 MXPF16 MXPR16 MXPR66U Supplies MX900NT MX900NV MX850NR	Curl Correction Unit¹ Trimmer Unit¹ 3-Hole Punch Unit (for MXFN21/FN22) Staple Cartridge (for MXFN22) Staple Cartridge (for MXFN21/FN22) Status Indicator Stamp Unit (requires ARSV1 Stamp Cartridge) Stamp Cartridge (required for ARSU1) Bar Code Font Kit Fiery Print Server Fiery Interface Kit Data Security Kit Toner Cartridge Developer Drum		
MXRB18 MXTM10 MXPN13B MXSCX1 MXSCX2 MXSL10N ARSU1 ARSV1 MXPF10 MXPF16 MXPR16 MXFR66U Supplies MX900NT MX900NV	Curl Correction Unit¹ Trimmer Unit¹ 3-Hole Punch Unit (for MXFN21/FN22) Staple Cartridge (for MXFN21) Status Indicator Stamp Unit (requires ARSV1 Stamp Cartridge) Stamp Cartridge (required for ARSU1) Bar Code Font Kit Fiery Print Server Fiery Interface Kit Data Security Kit Toner Cartridge Developer		

MXPE16 Fiery Server (continued)





Qualcomm® DirectOffice®









SHARP ELECTRONICS OF CANADA LTD. 5995 Avebury Road, Suite 900 Mississauga, Ontario L5R 3P9 1-800-567-4277 • www.sharp.ca

Printed in Canada. OSG-OS-MXM-Herc3.5-E-PDF-12/2024

Design and specifications subject to change without notice. Sharp, Sharp OSA, Sharpdesk, and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Windows and Windows Server are trademarks or registered trademarks of Microsoft Corporation. Adobe and PostScript are either registrated trademarks or trademarks. registered trademarks or trademarks of Adobe in the US and/or other countries. EFI, Fiery, Electronics For Imaging, the Fiery logo, the EFI logo, FreeForm, Spot-On, WebTools and Command WorkStation are trademarks or registered trademarks of Electronics For Imaging, Inc. All other trademarks are the property of their respective owners.

Specification may vary depending on product configuration, machine settings and operating conditions.